| | <u></u> | <u> </u> | grafia de la comencia | | <u>, , , , , , , , , , , , , , , , , , , </u> |
|----|-----------|-------------------------------------|---|-----------|---|
| | L | Hits | Search Text | DB . | Time stamp |
| 1 | Number | | | · . | |
| , | 1 | 7.7844 | differential adj2 amplif\$3 | USPAT; | 2004/05/26 |
| | | | | US-PGPUB; | 17:11 |
| | • | | | EPO; JPO; | : |
| | ٠٠٠ (١٠٠) | | | DERWENT; | • • |
| • | • | | | IBM TDB | |
| | 2 | 2927 | (cascad\$3 or array or pipelin\$3 or seri\$2 | USPAT; | 2004/05/26 |
| ٠ | | | or multi or two or double) adj2 | US-PGPUB; | 18:02 |
| | | | (differential adj2 amplif\$3) | EPO; JPO; | |
| ١. | | * | | DERWENT; | |
| ş | | | | IBM TDB | |
| | 3 | 950 | (stor\$3 or conver\$3) near4 (differential | USPAT; | 2004/05/26 |
| | | | adj2 amplif\$3) near4 (binary or digital | US-PGPUB; | 17:14 |
| | | | or bit or data) | EPO; JPO; | W |
| | | | | DERWENT; | 0. |
| ŀ | | | | IBM TDB | |
| | 4 | 4.6 | ((cascad\$3 or array or pipelin\$3 or | USPAT; | 2004/05/26 |
| | e | mark and a second market | seri\$2 or multi-or two or double) adj2 | US-PGPUB; | 17:15 - |
| | | | (differential adj2 amplif\$3)) and | EPO; JPO; | 17.10 |
| | • * | | ((stor\$3 or conver\$3) near4 (differential | DERWENT; | |
| | | | adj2 amplif\$3) near4 (binary or digital | IBM TDB | |
| ļ | 1.00 | 8 | or bit or data)) | 1011_100 | |
| ċ | 5 | 155699 | (end\$3 or interface or output front) adj2 | USPAT; | 2004/05/26 |
| | ~ (1) | | amplif\$3 | US-PGPUB; | 17:18 |
| | • | | CAMPATA Y | EPO; JPO; | 11.10 |
| ? | | | | DERWENT; | |
| | * (| | | | |
| 2 | 6 | 28 | (((cascad\$3 or array or pipelin\$3 or | IBM_TDB | 2004/05/26 |
| | 0 | 20 | (((cascad)) of array of pipelines of seri\$2 or multi or two or double) adj2 | USPAT; | 2004/05/26 |
| | | * | | US-PGPUB; | 17:17 |
| | | | (differential adj2 amplif\$3)) and | EPO; JPO; | P |
| | * | | ('(stor\$3 or conver\$3) near4 (differential | DERWENT; | |
| | | | adj2 amplif\$3) near4 (binary or digital | IBM_TDB | |
| | | | or bit or data))) and ((end\$3 or | | |
| | 7 | 2002 | "interface or output front) adj2 amplif\$3) | TTC D T M | 0004/05/06 |
| ŀ | 1 1 1 2 | 2003 | (interface or front) adj2 amplif\$3 | USPAT; | 2004/05/26 |
| | | · . · · · · · · · · · · · · · · · · | | US-PGPUB; | 17:18 |
| | | | | EPO; JPO; | |
| | | | | DERWENT; | : - |
| 1 | 0 | | | IBM_TDB | 2004/05/26 |
| ١ | • | . , 0 | (((cascad\$3 or array or pipelin\$3 or | USPAT; | 2004/05/26 |
| ٠٠ | | | seri\$2 or multi or two or double) adj2 | US-PGPUB; | 17:18 |
| ١ | | a)(a | (differential adj2 amplif\$3)) and | EPO; JPO; | |
| | | | ((stor\$3 or conver\$3) near4 (differential | DERWENT; | * |
| | | | adj2 amplif\$3) near4 (binary or digital | IBM_TDB | I |
| 1 | | 1 | or bit or data))) and ((interface or | T. | |
| | .0 | 20010 | front) adj2 amplif\$3) | | 2004/05/25 |
| ٠ | 9 | 20910 | (cascad\$3 or array or group or combin\$3 | USPAT; | 2004/05/26 |
| | | | or connect\$3) near4 (differential adj2 | US-PGPUB; | 17:20 |
| | | , | amplif\$3) | EPO; JPO; | 1 |
| | | | | DERWENT; | • |
| 4 | 10 | 300 | (1/22-102) | IBM_TDB | 2004/05/05 |
| | 10 | 390 | ((stor\$3 or conver\$3) near4 (differential | USPAT; | 2004/05/26 |
| 1 | | | adj2 amplif\$3) near4 (binary or digital | US-PGPUB; | 17:20 |
| | | | or bit or data)) and ((cascad\$3 or array | EPO; JPO; | |
| | | | or group or combin\$3 or connect\$3) near4 | DERWENT; | |
| | 11 | | (differential adj2 amplif\$3)) | IBM_TDB | 2004/05/65 |
| | 11 | .51 | (((stor\$3 or conver\$3) near4 | USPAT; | 2004/05/26 |
| ٠, | _ * | , | (differential adj2 amplif\$3) near4 | US-PGPUB; | 17:20 |
| | | . | (binary or digital or bit or data)) and | EPO; JPO; | |
| - | . : | | ((cascad\$3 or array or group or combin\$3 | DERWENT; | |
| - | | * * | or connect\$3) near4 (differential adj2 | IBM_TDB | |
| - | , | | amplif\$3))) and 341/\$.ccls. | | 5004405455 |
| | 12 | 36 | (combin\$3 or join\$3 or add\$3 or | USPAT; | 2004/05/26 |
| | • | ! | connvect\$3) adj3 two adj3 (differential | US-PGPUB; | 17:37 |
| | | | adj2 amplif\$3) | EPO; JPO; | |
| | | | | DERWENT; | |
| L | | <u> </u> | | IBM TDB | 1.0 12 12 1-74 |

| | <u>,</u> | | | | |
|-----|----------|-------------|--|-------------------|---------------------|
| | 13 | 429 | | USPAT; | 2004/05/26 |
| Ą | | | or interconnect\$3) adj3 two adj3 | US-PGPUB; | 17:37 |
| : | 1 | | (differential adj2 amplif\$3) | EPO; JPO; | |
| | | | | DERWENT; | |
| • • | | | | IBM TDB | |
| | 14 | 5 | ((stor\$3 or conver\$3) near4 (differential | USPAT; | 2004/05/26 |
| | | | adj2 amplif\$3) near4 (binary or digital | US-PGPUB; | 17:37 |
| | | | or bit or data)) and ((combin\$3 or join\$3 | EPO; JPO; | 117.37 |
| | | | or add\$3 or connect\$3 or interconnect\$3) | DERWENT; | 1 1 1 1 1 1 1 1 1 |
| | * * | | adj3 two adj3 (differential adj2 | IBM TDB | |
| | | | amplif\$3)) | I TOM_TOD | |
| | 15 | 10672 | | HCDDM | 0004/05/06 |
| | 1 | 100,2 | or multi or two or double) near4 | USPAT; | 2004/05/26 |
| | - 3.5 | 1 | (differential adj2 amplif\$3) | US-PGPUB; | 18:03 |
| | ļ | · . | (differencial adjz ampility) | EPO; JPO; | |
| | | | | DERWENT; | |
| 1 | 16 | 311 | 1/000 F 10 1 0 5 10 10 10 10 10 10 10 10 10 10 10 10 10 | IBM_TDB | 1.3 |
| ٠. | 10, | 311 | | USPAT; | 2004/05/26 |
| ÷ | | éla merena. | current) with ((cascad\$3 or array or | US-PGPUB; | 18:06 |
| | | | pipelin\$3 or seri\$2 or multi or two or | EPO; JPO; | |
| . • | 1 . | · * | double) near4 (differential adj2 | DERWENT; | |
| | 17 | | amplif\$3)) | IBM_TDB | |
| | 1.1 | 1 | The contract of the contract o | USPAT; | 2004/05/26 |
| | | | current) with ((cascad\$3 or array or | US-PGPUB; | 18:06 |
| ;; | | | pipelin\$3 or seri\$2 or multi or two or | EPO; JPO; | |
| i | | | double) near4 (differential adj2 | DERWENT; | |
| | | | amplif\$3))) and 341/155.ccls. | IBM TDB | |
| | 18 | 662 | ((control\$5 or vari\$3 or adjust\$4) near4 | USPAT; | 2004/05/26 |
| | | | current) same ((cascad\$3 or array or | US-PGPUB; | 18:08 |
| | | , , | pipelin\$3 or seri\$2 or multi or two or | EPO; JPO; | |
| ٠. | | | double) near4 (differential adj2 | DERWENT; | |
| ٠. | | | amplif\$3)) | IBM TDB | |
| • | 20 | 0 | (((control\$5 or vari\$3 or adjust\$4) near4 | USPAT; | 2004/05/26 |
| • | | | current) same ((cascad\$3 or array or | US-PGPUB; | 18:06 |
| | | | pipelin\$3 or seri\$2 or multi or two or | EPO; JPO; | 10.00 |
| ٠., | * | | double) near4 (differential adj2 | DERWENT; | |
| ٠. | | | amplif\$3))) and 341/154.ccls. | IBM TDB | |
| | 19 | 3 | (((control\$5 or vari\$3 or adjust\$4) near4 | USPAT; | 2004/05/26 |
| | | | current) same ((cascad\$3 or array or | US-PGPUB; | 18:07 |
| | | | pipelin\$3 or seri\$2 or multi or two or | EPO; JPO; | 10.07 |
| | | | double) near4 (differential adj2 | DERWENT; | 1 8 |
| | | | amplif\$3))) and 341/155.ccls. | IBM TDB | · . |
| | 21 | 20 | ((control\$5 or vari\$3 or adjust\$4) near4 | USPAT; | 2004/05/26 |
| | | · · | current) and ((cascad\$3 or array or | US-PGPUB; | 18:36 |
| | | | pipelin\$3 or seri\$2 or multi or two or | EPO; JPO; | 10.30 |
| | | | double) near4 (differential adj2 | DERWENT; | ' |
| | | | amplif\$3)) and 341/155.ccls. | | 1 |
| | 22 | 383790 | ((control\$5 or vari\$3 or adjust\$4) near4 | IBM_TDB USPAT; | 2004/05/26 |
| | | | current) nrear ((resist\$3) near2 (node or | US-PGPUB; | 2004/05/26 19:03 |
| | | | junction or tap)) | EPO; JPO; | .19.03 |
| | 0 | | J | DERWENT; | |
| | - | | * . | IBM TDB | |
| : | 23 | 3593 | ((cascad\$3 or array or pipelin\$3 or | _ | 2004/05/06 |
| | - | | seri\$2 or multi or two or double) near4 | USPAT; | 2004/05/26 |
| | | | (differential adj2 amplif\$3)) and | US-PGPUB; | 18:46 |
| 1 | | | (((control\$5 or vari\$3 or adjust\$4) near4 | EPO; JPO; | 1. |
| | | | current) nrear ((resist\$3) near2 (node or | DERWENT; | |
| | | | instice or tankly | IBM_TDB | <i>t</i> |
| | 24 | 241 | <pre>junction or tap))) (((control\$5 or vari\$3 or adjust\$4) near4</pre> | tranal | 2004/05/05 |
| | - 1 | 241 | current's proper //postst21 | USPAT; | 2004/05/26 |
| ۱] | : | 1 | current) nrear ((resist\$3) near2 (node or | US-PGPUB; | 18:47 |
| - 1 | | | junction or tap))) and 341/154.ccls. | EPO; JPO; | . 🕴 |
| | • | 1 | | DERWENT; | · |
| - | 25 | 360 | ///gontroleE on | IBM_TDB | 2004405 15 5 |
| | 20, | 300 | (((control\$5 or vari\$3 or adjust\$4) near4 | USPAT; | 2004/05/26 |
| | | | current) nrear ((resist\$3) near2 (node or | US-PGPUB; | 18:47 |
| 1 | | | junction or tap))) and 341/155.ccls. | EPO; JPO; | |
| | | | | DERWENT; | ļ |
| Ļ | | | | IBM TDB | |

| ٠. | 1.6. | 1 | | | | | |
|------|-------|--------|---------|---|-----------------------|--|-------------|
| ď | 26 | | 1 | 7 ((((control\$5 or vari\$3 or adjust\$4) | USPAT; | 2004/05/26 | |
| . • | 2 1 | | | near4 current) nrear ((resist\$3) near2 | US-PGPUB; | 18:47 | ı |
| ÷ | | '- · | | (node or junction or tap))) and | EPO; JPO; | 10.17 | |
| | | | | 341/154.ccls.) and ((((control\$5 or | DERWENT; | :] | |
| | | | | vari\$3 or adjust\$4) near4 current) nrear | IBM TDB | | - 1 |
| • | · . | | | ((resist\$3) near2 (node or junction or | 1 1011_100 | | |
| | | | | tap))) and 341/155.ccls.) | | | - 1 |
| -: | 27 | | 4 | 1 ((control\$5 or vari\$3 or adjust\$4) near4 | USPAT; | 2004/05/26 | |
| | 1 | | | current) near ((resist\$3) near2 (node or | US-PGPUB; | 19:36 | - 1 |
| | | | 1 | junction or tap)) | EPO; JPO; | 19.30 | · |
| | , | | | | DERWENT; | | |
| | | | *1 | | IBM TDB | | - 1 |
| | 28 | | 57 | 6 (node or junction or tap) near4 (ser\$5 | USPAT; | 2004/05/26 | - 1 |
| | | | | near2 connect\$2) near3 current | US-PGPUB; | 1.19:38 | |
| 1 | | . 19.1 | | | EPO; JPO; | | |
| | | | | | DERWENT; | | |
| - | | | 1 | | IBM TDB | · . | Į. |
| | 29 | | 4 | 6 ((node or junction or tap) near2 | USPAT; | 2004/05/26 | : |
| -26. | :++· | 201 | s ** | resist\$3) near4 (ser\$5 near2 connect\$2) | US-PGPUB; | 19:44 | |
| 1 | | | 1. | near3 current | EPO; JPO; | 1 -2 - 3 3 | - 1 |
| Ÿ, | | ٠ . | 1 | | DERWENT; | 1 | - |
| | | | | *** | IBM TDB | | |
| | 30 | | 47 | | USPAT; | 2004/05/26 | |
| | | | | resist\$3) near4 connect\$2 near3 current | US-PGPUB; | 19:45 | |
| | , | | | | EPO; JPO; | 1.20.10 | - 1 |
| | : | | | | DERWENT; | | |
| | 2 | | , | | IBM TDB | | |
| | 31 | | 20 | | USPAT; | 2004/05/26 | |
| | | | | resist\$3) near4 connect\$2 near3 current) | US-PGPUB; | 19:51 | |
| , | į. | | | and 341/\$.ccls. | EPO; JPO; | | . |
| | | · | · . | | DERWENT; | | . |
| | 30 | | | | IBM TDB | | |
| ٠. | 32 | | 16 | ((((node or junction or tap) near2 | USPAT; | 2004/05/26 | F |
| | | | | resist\$3) near4 connect\$2 near3 current) | US-PGPUB; | 19:52 | |
| ." | | | | and 341/\$.ccls.) and control | EPO; JPO; | # · · | |
| | . * | | | | DERWENT; | | |
| | .33 | - 1 | | 1111maa an disamana an a | IBM_TDB | | |
| 1 | | | -1 | ((((node or junction or tap) near2 resist\$3) near4 connect\$2 near3 current) | USPAT; | 2004/05/26 | - 1 |
| . : | | | | and 341/\$.ccls.) and (control near2 | US-PGPUB; | 19:53 | - 1 |
| | . * . | 0 | 4 | current) | EPO; JPO; DERWENT; | | |
| | ł. , | : " | 100 | * | IBM TDB | 5 2 | 4 |
| . | 34 | | | ((((node or junction or tap) near2 | USPAT; | 2004/05/26 | . |
| | • | | | resist\$3) near4 connect\$2 near3 current) | US-PGPUB; | 19:53 | 1 |
| 1 | | | | and 341/\$.ccls.) and (controllable near2 | EPO; JPO; | 13.33 | 1 |
| - | | | | current) | DERWENT; | | . - |
| | 22 | | | | IBM TDB | 4 | 1. |
| 4 | 35 | | 72805 | | USPAT; | 2004/05/26 | |
| • | | | | or (t adj h) or (s adj h) with | US-PGPUB; | 20:05 | |
| | | l | | (transistor near2 pair) | EPO; JPO; | | |
| | | | | | DERWENT; | | |
| 1 | 36 | ĺ | - co. t | (1) | IBM_TDB | | 1 |
| | 20 | * . | 6315 | | USPAT; | 2004/05/26 | 1. |
| - | | - [| 3 | and ((track adj2 hold) or (sample adj2 | US-PGPUB; | 20:06 | 1. |
| | | * · X | | hold) or (t adj h) or (s adj h) with | EPO; JPO; | e de la companya de l | 1 |
| ٦. | | | | (transistor near2 pair)) | DERWENT; | • | |
| ŀ | 37 . | • | 11341 | (pair or separate or individual or | IBM_TDB | 2004/05/25 | |
| 1 | | . | | different) adj clock | USPAT; | 2004/05/26 | |
| | | . 1 | • | | US-PGPUB; | 20:06 | |
| | | | | | EPO; JPO; DERWENT; | • | ' |
| 1 | | [| | | IBM TDB | • | |
| | 38 | . | 171 | ((differential near2 (input or amplif\$3)) | USPAT; | 2004/05/26 | |
| 1 | | | | and ((track adj2 hold) or (sample adj2 | US-PGPUB; | 20:07 | |
| | - ' | | | hold) or (t adj h) or (s adj h) with | EPO; JPO; | | |
| | | . [| | (transistor near2 pair))) and ((pair or | DERWENT; | * | |
| 1 | | | | separate or individual or different) adj | IBM_TDB | • | |
| L | | | | clock) | | | 1 |

| | | was to the date of the country of th | 1 | |
|----|------------------|--|-----------|------------|
| 12 | 39 | (((differential near2 (input or. | USPAT: | 2004/05/26 |
| | | The second to the second secon | US-PGPUB: | 100 |
| ż | [골 송원]의 전 경험 호텔이 | (sample adj2 hold) or (t adj h) or (s adj | | |
| ٤. | | h) with (transistor near2 pair))) and | DERWENT: | |
| | | ((pair or separate or individual or | IBM TDB | |
| | | different) adj clock)) and 341/1\$.ccls. | THI_TDB | Mary San |